

Proviflow® FG (based on mono propylene glycol)				
Vol%	Wt%	Freezing point (°C)	Density @ 20°C (g/ml)	R.I. @ 20°C
20,0	20,9	-7,3	1,018	1,3556
21,0	21,9	-7,7	1,020	1,3568
22,0	22,9	-8,2	1,021	1,3580
23,0	24,0	-8,7	1,022	1,3591
24,0	25,0	-9,2	1,023	1,3603
25,0	26,0	-9,7	1,024	1,3615
26,0	27,0	-10,3	1,025	1,3627
27,0	28,1	-11,0	1,026	1,3639
28,0	29,1	-11,6	1,027	1,3650
29,0	30,1	-12,3	1,028	1,3662
30,0	31,1	-13,0	1,029	1,3674
31,0	32,1	-13,8	1,030	1,3685
32,0	33,2	-14,6	1,031	1,3697
33,0	34,2	-15,4	1,032	1,3708
34,0	35,2	-16,3	1,033	1,3719
35,0	36,2	-17,2	1,034	1,3731
36,0	37,2	-18,1	1,035	1,3742
37,0	38,2	-19,1	1,036	1,3753
38,0	39,3	-20,1	1,037	1,3765
39,0	40,3	-21,1	1,038	1,3776
40,0	41,3	-22,2	1,039	1,3787
41,0	42,3	-23,3	1,039	1,3798
42,0	43,3	-24,4	1,040	1,3809
43,0	44,3	-25,6	1,041	1,3820
44,0	45,3	-26,8	1,042	1,3831
45,0	46,3	-28,0	1,043	1,3842
46,0	47,3	-29,3	1,043	1,3852
47,0	48,3	-30,6	1,044	1,3863
48,0	49,3	-31,9	1,045	1,3874
49,0	50,3	-33,3	1,046	1,3885
50,0	51,3	-34,7	1,046	1,3895
51,0	52,3	-36,1	1,047	1,3906
52,0	53,3	-37,6	1,048	1,3916
53,0	54,3	-39,1	1,048	1,3927
54,0	55,3	-40,6	1,049	1,3937
55,0	56,3	-42,2	1,049	1,3948
56,0	57,3	-43,8	1,050	1,3958
57,0	58,3	-45,4	1,051	1,3968
58,0	59,3	-47,1	1,051	1,3978
59,0	60,3	-48,8	1,052	1,3989
60,0	61,3	-50,6	1,052	1,3999